

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Lötdraht Kristall 505 Sn60Pb40
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Drinking water installations, use in food technology. Use in medical technology. Temperatures> 500 ° C
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Stannol GmbH Haberstr. 24
 D-42551 Velbert
 Deutschland
 +49/2051-3120-332
 sdb@stannol.de

· Further information obtainable from: Product Safety Department

• 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

prolonged or repeated exposure.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Repr. 1AH360FD-H362May damage fertility. May damage the unborn child. May cause harm to breast-fed
children.STOT RE 1H372Causes damage to the central nervous system, the kidneys and the blood through

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

Does not meet labeling criteria

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- lead
- · Hazard statements
- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

· Precautionary statements

- *P201 Obtain special instructions before use.*
- P260 Do not breathe dusts or mists.
- *P263* Avoid contact during pregnancy/while nursing.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

Trade name: Lötdraht Kristall 505 Sn60Pb40

(Contd. of page 1)

· Additional information:

Restricted to professional users.

· 2.3 Other hazards

Inhalation of vapors that are released during the soldering process should be avoided. Flux fumes will irritate nose, throat and lungs and may cause allergic reaction (asthma) after prolonged or repeated exposure. Therefore, we recommend the usage of fume extractions with appropriate filters.

Always wash your hands carefully with soap and water after handling the product before eating, drinking and smoking.

Do not heat the soldering materials above 500 $^{\circ}C$.

- Keep out of reach of children.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7439-92-1 lead EINECS: 231-100-4	Repr. 1A, H360FD-H362; STOT RE 1, H372	25-55%
CAS: 7440-31-5 tin		40-80%
EINECS: 231-141-8 • Additional information: For the wording of the listed ha	zard phrases refer to section 16.	

Auditonui information. 1 of the wording of the tisted hazard phrases refer to see

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3) GB



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

(Contd. of page 2)

Trade name: Lötdraht Kristall 505 Sn60Pb40

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.
- **Respiratory protection:** Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 4) GB



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

Trade name: Lötdraht Kristall 505 Sn60Pb40

(Contd. of page 3)

• **Protection of hands:** Rubber gloves Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

General Information	
Appearance:	
Form:	Rope
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.

(Contd. on page 5) GB



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

(Contd. of page 4)

Trade name: Lötdraht Kristall 505 Sn60Pb40

Not applicable.

· Solvent content:

• •

Solids content:

• 9.2 Other information

100.0 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

• STOT-single exposure Based on available data, the classification criteria are not met.

- · STOT-repeated exposure
- Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- \cdot Aquatic toxicity: No further relevant information available.
- $\cdot \ \textbf{12.2 Persistence and degradability} \ No \ further \ relevant \ information \ available.$
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

(Contd. of page 5)

Trade name: Lötdraht Kristall 505 Sn60Pb40

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpo and the IBC Code	l Not applicable.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 63

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H360FD May damage fertility. May damage the unborn child.

H362 May cause harm to breast-fed children.



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2018

Version number 9

Revision: 06.03.2018

Trade name: Lötdraht Kristall 505 Sn60Pb40

(Contd. of page 6)

- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- · Department issuing SDS: Product Safety Department
- · Contact: Hr. Dörr

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Repr. 1A: Reproductive toxicity – Category 1A
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

GB