



home
automation



lighting




electric



furniture

ORNO[®]

LIVING INNOVATIONS



DATA SHEET

Carbon monoxide detector 5V DC

symbol: **OR-DC-612**

Manufacturer:
ORNO-LOGISTIC Sp. z o.o.
ul. Katowicka 134, 43-190 Mikołów
tel: 32 43 43 110
www.orno.pl

ISBN 5901752482289



5 901752 482289 >

The main **features:**

Backlit LCD display TEST button Visual and sound alarm Measuring the concentration range from 30ppm to 999ppm Built-in memory function (memorizes the last concentration of carbon monoxide, which triggered the alarm) The average life time of the internal sensor approx. 6 years End of sensor life indicated by a beep and optical (display, LED).



POWER SUPPLY:
230V~, 50Hz



type

**TYPES OF DETECTED
THREATS:**
carbon
monoxide



test

Test button



End of life
indication



ALARM VOLUME (DB):
85/1m



**LIFE TIME OF THE
SENSOR:**
7 years



EN 50291

**COMPLIANCE WITH
STANDARDS:**
EN 50291-
1:2010/A1:2012

Technical **specifications:**

General Information

Power supply:	230V~, 50Hz
Types of detected threats:	carbon monoxide
Type of sensor:	electrochemical
Display:	✓ yes
Test button:	✓ yes
Hush button :	✓ yes

Failure indication:	✓ yes
End of life indication:	✓ yes
Alarm volume (db):	85/1m
Life time of the sensor:	7 years
Compliance with standards:	EN 50291-1:2010/A1:2012
Dimensions (width x height x depth [mm]):	122 / 77 / 35
Other features:	memory function