




Fiber Patch Cord OS2 9/125 μ

Technical Features

Duplex jumper 9/125 μ singlemode.

I-VH 2G 9/125 μ OS1/2 fiber, high-quality and better compatibility with barebone or indoor-coming components.

Ø3mm orange double-layer LSZH Jacket according to IEC standard, meeting all European countries' legal requirement.

First-class CCTC Class A Ferrule.

Up to 100 Gbit/s/40km

All components in aspect of material and measurement are compliant with IEC standard.

DIN EN 50173-1 and IEC/ISO 11801.

Pulling force of Connector is compliant with IEC standard.

Test method of Insertion Loss and return Loss is compliant with IEC standard.

Test method of surface hygiene is compliant with IEC Standard.

100% IL and RL Test for patch cords and pigtails.

100% IL for each port of Adapter.

100% End face Control.

20% 3D Random Test to guarantee 90% the 3D Pass Quote.

Cable length with positive tolerance.

Each cable includes a measure protocol.

Quality Management according to ISO 90001.

www.logilink.com




RoHS
compliant



Made in China

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

Technical Drawings




Length	LC-LC	EAN Code
0.50 m	FP0LC00	4052792019261
1.00 m	FP0LC01	4052792019278
2.00 m	FP0LC02	4052792019285
3.00 m	FP0LC03	4052792019292
5.00 m	FP0LC05	4052792019308
7.50 m	FP0LC07	4052792019315
10.00 m	FP0LC10	4052792019322
15.00 m	FP0LC15	4052792019339
20.00 m	FP0LC20	4052792019346

Length	SC-SC	EAN Code	ST-ST	EAN Code
0.50 m	FP0SC00	4052792019353	FPOST00	4052792019445
1.00 m	FP0SC01	4052792019360	FPOST01	4052792019452
2.00 m	FP0SC02	4052792019377	FPOST02	4052792019469
3.00 m	FP0SC03	4052792019384	FPOST03	4052792019476
5.00 m	FP0SC05	4052792019391	FPOST05	4052792019483
7.50 m	FP0SC07	4052792019407	FPOST07	4052792019490
10.00 m	FP0SC10	4052792019414	FPOST10	4052792019506
15.00 m	FP0SC15	4052792019421	FPOST15	4052792019513
20.00 m	FP0SC20	4052792019438	FPOST20	4052792019520

Length	SC-SC	EAN Code	ST-ST	EAN Code
0.50 m	FPOSC00	4052792019353	FPOST00	4052792019445
1.00 m	FPOSC01	4052792019360	FPOST01	4052792019452
2.00 m	FPOSC02	4052792019377	FPOST02	4052792019469
3.00 m	FPOSC03	4052792019384	FPOST03	4052792019476
5.00 m	FPOSC05	4052792019391	FPOST05	4052792019483
7.50 m	FPOSC07	4052792019407	FPOST07	4052792019490
10.00 m	FPOSC10	4052792019414	FPOST10	4052792019506
15.00 m	FPOSC15	4052792019421	FPOST15	4052792019513
20.00 m	FPOSC20	4052792019438	FPOST20	4052792019520

Length	LC-SC	EAN Code
0.50 m	FPOLS00	4052792019537
1.00 m	FPOLS01	4052792019544
2.00 m	FPOLS02	4052792019551
3.00 m	FPOLS03	4052792019568
5.00 m	FPOLS05	4052792019575
7.50 m	FPOLS07	4052792019582
10.00 m	FPOLS10	4052792019599
15.00 m	FPOLS15	4052792019605
20.00 m	FPOLS20	4052792019612



Length	LC-ST	EAN Code	ST-SC	EAN Code
0.50 m	FPOLT00	4052792019629	FPOSS00	4052792019711
1.00 m	FPOLT01	4052792019636	FPOSS01	4052792019728
2.00 m	FPOLT02	4052792019643	FPOSS02	4052792019735
3.00 m	FPOLT03	4052792019650	FPOSS03	4052792019742
5.00 m	FPOLT05	4052792019667	FPOSS05	4052792019759
7.50 m	FPOLT07	4052792019674	FPOSS07	4052792019766
10.00 m	FPOLT10	4052792019681	FPOSS10	4052792019773
15.00 m	FPOLT15	4052792019698	FPOSS15	4052792019780
20.00 m	FPOLT20	4052792019704	FPOSS20	4052792019797

Package Contents

1 x Fiber Patch Cord OS2 9/125μ

Packaging Informations

Packing Dimension	180 x 180mm (0.50m - 2.0m items) / 220 x 220mm (3.00m - 20.00m items)
Packing Weight	0.01kg (0.50m items) / 0.02kg (1.00m items) / 0.04kg (2.00m items) / 0.06kg (3.00m items) / 0.09kg (5.00m items) / 0.14kg (7.50m items) / 0.17kg (10.00m items) / 0.26kg (15.00m items) / 0.37kg (20.00m items)
Carton Dimension	217 x 217 x 220mm
Carton Q'ty	pcs
Carton Weight	0.96kg (0.50m items) / 1.38kg (1.00m items) / 1.60kg (2.00m items) / 2.25kg (3.00m & 5.00m items) / 2.63kg (10.00m - 20.00m items) / 2.83kg (7.50m items)

www.logilink.com



RoHS
compliant



Made in China

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.