





lighting



electric





DATA SHEET

1-phase energy meter with additional calculator, 80A

symbol: **OR-WE-503**

Manufacturer: ORNO-LOGISTIC Sp. z o.o. ul. Katowicka 134, 43-190 Mikołów tel: 32 43 43 110 www.orno.pl



The main **features**:

Device for making indications in kWh. A special electronic circuit, by the flow of current and applied voltage generates pulses in proportion to the energy consumed. Phase energy consumption is signaled by a flashing LED. The number of pulses is converted into energy input and its value is indicated on the LCD display (5 + 1). Equipped with an additional indicator with the possibility of erasing. Pulse output: voltage: 27V; current: 27mA; current pulse: 90ms; maximum cable length: 20 m; connection terminals 20 and 21; maximum value: max voltage 60VDC; maximum current of 50mA.



Technical **specifications**:

General Information

Туре:	single-phase
Ports:	lack
Communication protocol:	lack
Power supply:	230V~, 50Hz
Base current (lb):	5A
Maximum current (lmax):	80A
Pulse frequency:	1000 imp/kWh
Class of measurement accuracy:	1
Compliance with mid certificate (2014/32/eu):	× no
Display:	5+1

Pulse output:	✓ yes
Multi-tariff:	× no
Number of modules:	2
Protection rating:	IP20
Dimensions (width x height x depth [mm]):	36,5 / 129 / 65

Other features: an additional indicator with the possibility of deleting